



B-H Genetics®

Corn Strip Test

2014

Bill Obsta

Irrigation: None

Planting Date: 2-15-2014

Victoria, Texas

Planting Rate: 26,000

Harvest Date: 8-1-2014

Victoria County

Row Width: 30"

Previous Crop: Corn

Company	Hybrid	Plot Weight (Lbs)	Harvest Moisture (%)	Test Weight (Lbs)	Adj.Yield 15% Moisture (Bu/Acre)	Yield Rank
B-H Genetics	BH 8475SS	7198	12.1	60.7	172.6	6
B-H Genetics	BH 8550SS	6650	12.2	60.1	159.3	11
B-H Genetics	BH 8630VTTP	6558	12.5	59.0	156.6	12
B-H Genetics	BH 8650VTTP	6720	13.0	58.7	159.5	9
B-H Genetics	BH 8660VTTP	7474	12.9	58.9	177.6	1
B-H Genetics	BH 8700SS	7376	12.8	60.0	175.5	3
B-H Genetics	BH 8830VTTP	7164	12.1	59.7	171.8	7
B-H Genetics	BH 8732VTTP	7384	12.8	58.1	175.7	2
B-H Genetics	BH 8783VIP3111	6732	13.2	58.2	159.4	10
B-H Genetics	BH 8928VTTP	7338	12.9	59.0	174.4	4
B-H Genetics	BH 8525GTA	6848	13.0	56.5	162.6	8
Dekalb	DKC67-57	7294	12.9	60.3	173.3	5
<i>Plot Average</i>		<i>7061</i>	<i>12.7</i>	<i>59.1</i>	<i>168.2</i>	