



Corn Strip Trial

2019

David Herzog

Lott, Texas | Falls County

Irrigation: None

Planting Rate: 23,100

Row Width: 36"

Planting Date: 3-19-2019

Harvest Date: 8-9-2019

Previous Crop: N/A

Fungicide: None

Brand	Hybrid	Plot Weight (Lbs)	Harvest Moisture (%)	Test Weight (Lbs)	Adj. Yield 15% Moisture (Bu/Acre)	Yield Rank
NK	NK1460	4250	13.1	57.0	104.3	9
Warner	W4622	4755	13.5	59.0	115.8	1
AMP Genetics	A1257VT2P	4625	14.6	59.0	110.9	4
Croplan	CP5370	4370	14.4	59.0	106.9	6
Croplan	CP5335	4050	13.7	59.0	99.9	14
Croplan	CP5678	4290	14.0	59.0	105.5	7
Pioneer	P1395	4205	14.2	60.0	103.1	10
Pioneer	P1138	4030	13.9	58.0	102.6	11
Pioneer	P1244	3655	13.4	57.0	96.4	15
Pioneer	P1464	4145	13.5	59.0	111.5	3
AMP Genetics	A1257VT2P	4205	13.6	58.0	114.4	2
BH Genetics	BH 8590VT2P	3700	15.4	59.0	100.3	13
BH Genetics	BH 7810VT2P	3505	13.2	57.0	105.2	8
LG Seeds	LG 5701	3445	13.7	57.0	107.9	5
Pioneer	P1464	3110	14.5	57.0	102.6	11
<i>Plot Average</i>		<i>4023</i>	<i>13.9</i>	<i>58.3</i>	<i>105.8</i>	