



# Corn Strip Trial

## 2019

### S&S Raesz

Taylor, Texas | Williamson County

Irrigation: None

Planting Rate: 22,000

Row Width: 38"

Planting Date: 3-6-2019

Harvest Date: 8-2-2019

Previous Crop: Corn

Fungicide: N/A

Brand	Hybrid	Plot Weight (Lbs)	Harvest Moisture (%)	Test Weight (Lbs)	Adj. Yield 15% Moisture (Bu/Acre)	Yield Rank
BH Genetics	BH 7810VT2P	6402	11.7	59.1	143.3	3
BH Genetics	BH 8475SS	6126	12.3	61.1	136.2	8
BH Genetics	BH 8660VT2P	6366	12.6	60.7	141.0	4
BH Genetics	BH 8737VT2P	6258	12.8	60.9	138.3	5
BH Genetics	BH 8721VT2P	6208	13.3	62.1	136.4	7
BH Genetics	X17014SS	5992	15.8	61.1	127.9	9
BH Genetics	BH 8690VIP3111	6606	12.6	62.0	146.4	1
Dekalb	DKC67-14	6512	13.1	59.5	143.5	2
BH Genetics	BH 8465SS	6256	13.0	59.0	138.0	6
<i>Plot Average</i>		<i>6303</i>	<i>13.0</i>	<i>60.6</i>	<i>139.0</i>	