



Corn Strip Trial

2020

S&S Raesz

Taylor, Texas | Williamson County

Irrigation: None

Planting Rate: N/A

Row Width: 38"

Planting Date: 3-1-2020

Harvest Date: 7-17-2020

Previous Crop: Corn

Fungicide: None

Brand	Hybrid	Plot Weight (Lbs)	Harvest Moisture (%)	Test Weight (Lbs)	Adj. Yield 15% Moisture (Bu/Acre)	Yield Rank
BH Genetics	BH 8737VT2P	6670	11.7	58.8	127.8	4
BH Genetics	BH 7810VT2P	5830	11.8	54.3	111.4	8
BH Genetics	BH 8690VIP3111	5360	11.7	58.8	102.3	9
BH Genetics	BH 8590VT2P	6640	11.8	58.7	126.4	5
BH Genetics	XP 8712VIP3110	5130	11.5	58.5	97.8	10
BH Genetics	XP 8555DG2P	6310	11.9	57.4	119.5	6
BH Genetics	BH 8400PCE	6280	11.9	54.8	118.8	7
BH Genetics	BH 8475SS	6920	11.6	57.5	131.1	1
BH Genetics	BH 8465SS	6810	11.8	56.5	128.5	3
Dekalb	DKC67-44	6860	11.8	58.6	129.2	2
<i>Plot Average</i>		<i>6281</i>	<i>11.8</i>	<i>57.4</i>	<i>119.3</i>	