



Corn Strip Trial

2020

Joseph Respondek
 Nordheim, Texas | DeWitt County

Irrigation: None
 Planting Rate: N/A
 Row Width: 30"

Planting Date: 3-3-2020
 Harvest Date: 7-29-2020
 Previous Crop: Corn
 Fungicide: N/A

| Brand | Hybrid | Plot Weight (Lbs) | Harvest Moisture (%) | Test Weight (Lbs) | Adj. Yield 15% Moisture (Bu/Acre) | Yield Rank |
|---------------------|----------------------|-------------------|----------------------|-------------------|-----------------------------------|------------|
| BH Genetics | BH 8737VT2P w/pop-up | 1990 | 14.6 | 60.5 | 132.2 | 3 |
| BH Genetics | BH 8737VT2P | 1990 | 14.5 | 60.7 | 132.4 | 2 |
| BH Genetics | BH 8400PCE | 2030 | 14.8 | 57.8 | 134.6 | 1 |
| BH Genetics | BH 8660VT2P | 1905 | 15.1 | 60.7 | 125.9 | 8 |
| Pioneer | P1464 | 1960 | 14.4 | 60.1 | 130.6 | 5 |
| BH Genetics | XP 8555DG2P | 1905 | 15.0 | 59.2 | 126.0 | 7 |
| BH Genetics | XP 8712VIP3110 | 1860 | 14.8 | 61.8 | 123.3 | 9 |
| BH Genetics | BH 8690VIP3111 | 1960 | 14.8 | 62.3 | 129.9 | 6 |
| BH Genetics | BH 8737VT2P | 1985 | 15.2 | 60.7 | 131.0 | 4 |
| <i>Plot Average</i> | | <i>1954</i> | <i>14.8</i> | <i>60.4</i> | <i>129.5</i> | |