

Sorghum Product Lineup

Product	Grain Color	Maturity Group	Head Type	Average Plant Height (inches)	Exertion	Test Weight	Stress	Standability	Smut	SCA Rating	Greenbug Tolerance (Biotype)	Average Seed/lb
BH 3400	Bronze	VE	SO	36-46	2	4	3	4	4	Т	N/A	13-15 K
BH 3600	Bronze	E	SO	34-42	2	3	2	3	3	Т	E	12-14 K
BH 3616	Bronze	E	SO	34-42	2	3	2	3	3	Т	E	12-14 K
BH 3700C	Cream	E	SC	46-54	2	4	2	2	3	S	N/A	14-15 K
BH 3808	Red	ME	SO	40-47	2	4	3	4	5	S	С	14-16 K
BH 3939	Bronze	ME	SO	48-54	2	3	2	2	3	Т	N/A	13-14 K
BH 4041	Bronze	М	SC	50-54	3	4	2	2	5	Т	N/A	14-16 K
BH 4100	Bronze	М	SO	46-52	3	2	3	3	3	Т	N/A	12-14 K
BH 4200C	White	ME	SC	40-48	2	2	2	2	3	S	С	12-14 K
BH 4433C	White	М	SC	39-47	2	3	2	2	N/A	Т	С	16-18 K
BH 4730C	Cream	М	SC	48-56	4	4	2	4	N/A	S	N/A	16-18K
BH 5224	Bronze	M	0	48-56	2	2	2	4	6	S	C,D,E	12-14 K
BH 5566	Bronze	ML	SO	48-54	3	4	4	4	3	S	none	11-13 K
BH 5620	Red	ML	SC	50-57	4	3	4	4	3	Т	E	14-16 K
BH 5677	Bronze	ML	SO	52-59	3	2	4	2	N/A	Т	C,E	12-14 K
BH 5755	Red	ML	SC	48-56	4	2	3	3	6	Т	N/A	14-16 K

All ratings presented represent relative differences between B-H Genetics hybrid products. This information is not intended for use in comparison with hybrid products from other companies. Adverse environmental conditions, cultural practices, disease and insect pressure, can affect the relative accuracy of the ratings and listed maturity of the hybrid products.

Rating Scale: 1 = Excellent, 9 = Poor Sugarcane Aphid Rating (SCA) : T= tolerant S= suspectible

Forage & Sudan Product Lineup									Recommended Primary Usage			Recommended Planting Rate (Lbs/acre)	
Product	Туре	Maturity Group	Photoperiod Sensitive	Male Sterile	Midrib Color	Midrib Type	Anthracnose Rating	Silage	Hay	Grazing	Dryland	Irrigated	
BH 370F	Forage Sorghum	Μ	No	No	Yellow	Juicy	N/A	х			5-9	8-12	
OPAL	Forage Sorghum	L	No	No	Cloudy	Normal	2	х			4-8	6-10	
BH 147S	Sorghum-Sudangrass	М	No	Yes	White	Normal	N/A		x	x	10-30	35-80	
BH 257SBD	Sorghum-Sudangrass	М	No	No	Brown	BMR-6	N/A		x	x	10-20	14-40	

Anthracnose rating: 1=very tolerant, 5=susceptible

* recommended only after primary cutting

** Must be planted into minimum of 12.5 hour days

CAUTION

Sorghum-sudangrass and sorghum products can develop prussic acid or elevated nitrate levels under certain conditions. Avoid single, heavy nitrogen applications, especially prior to or during drought periods. Do not graze very young plants, plants recovering from drought, or plants damaged by a frost or freeze.

CAUTION

Hybrid pearl millet should not be harvested or grazed lower than 6-8 inches above ground level. Cutting or grazing to heights below this threshold will result in great-ly reduced regrowth of the crop.