



Corn Strip Trial

2021

S&S Raesz

Taylor, Texas | Williamson County

Irrigation: None

Planting Rate: N/A

Row Width: 38"

Planting Date: 3-8-2021

Harvest Date: 8-12-2021

Previous Crop: Corn

Fungicide: N/A

Brand	Hybrid	Plot Weight (Lbs)	Harvest Moisture (%)	Test Weight (Lbs)	Adj. Yield 15% Moisture (Bu/Acre)	Yield Rank
BH Genetics	BH 8670TRE	4880	14.0	57.3	108.8	3
Dekalb	DKC65-99	4740	14.0	57.1	105.3	4
BH Genetics	BH 8737VT2P	5520	13.7	58.7	122.7	1
BH Genetics	BH 7810VT2P	4490	14.9	53.7	98.1	9
BH Genetics	BH 8412VT2P	5300	13.8	58.2	117.0	2
BH Genetics	BH 8660VT2P	4760	14.6	56.9	103.8	6
BH Genetics	BH 8475SS	4650	14.0	56.5	101.8	7
BH Genetics	X19046SS	4050	13.8	57.6	88.6	11
BH Genetics	BH 8820VT2P	4830	14.4	56.8	104.7	5
BH Genetics	BH 8555DG2P	4170	14.5	55.7	90.0	10
BH Genetics	BH 8590VT2P	4540	13.8	57.5	98.5	8
<i>Plot Average</i>		<i>4721</i>	<i>14.1</i>	<i>56.9</i>	<i>103.6</i>	