



Corn Strip Trial

2022

S & S Raesz

Taylor, Texas

Williamson County

Irrigation: None

Planting Rate: 22,000

Row Width: 38"

Planting Date: 3-2-2022

Harvest Date: 7-22-2022

Previous Crop: Corn

Fungicide: None

Brand	Hybrid	Plot Weight (Lbs)	Harvest Moisture (%)	Test Weight (Lbs)	Adj. Yield 15% Moisture (Bu/Acre)	Yield Rank
BH Genetics	BH 8670TRE	2660	9.8	55.5	64.2	5
BH Genetics	BH 8644TRE	2460	10.1	54.8	59.2	11
BH Genetics	BH 8400PCE	2550	10.3	50.8	61.3	9
BH Genetics	BH 8420VIP3110	2740	10.1	54.2	66.0	3
BH Genetics	BH 8412VT2P	2930	10.2	56.2	70.5	1
BH Genetics	BH 8966VT2P	1970	10.1	56.5	47.4	12
BH Genetics	X21043VT2P	2600	10.2	55.1	62.5	7
BH Genetics	BH 8233TRE	2690	10.5	51.8	64.5	4
BH Genetics	BH 8590VT2P	2570	9.9	55.0	62.0	8
BH Genetics	BH 8737VT2P	2810	10.1	55.8	67.6	2
Dekalb	DKC67-44	2610	10.1	55.2	62.8	6
BH Genetics	BH 8820VT2P	2520	10.3	55.2	60.5	10
<i>Plot Average</i>		<i>2593</i>	<i>10.1</i>	<i>54.7</i>	<i>62.4</i>	