



Corn Strip Trial

2023

Barney Homeyer

Caldwell, Texas | Burleson County

Irrigation: None

Planting Rate: 27,500

Row Width: 40"

Planting Date: 3-6-2023

Harvest Date: 7-21-2023

Previous Crop: Corn

Fungicide: None

Brand	Hybrid	Plot Weight (Lbs)	Harvest Moisture (%)	Test Weight (Lbs)	Adj. Yield 15% Moisture (Bu/Acre)	Yield Rank
BH Genetics	BH 8233TRE	3754	12.8	57.9	173.2	2
BH Genetics	BH 8412VT2P	3654	12.6	59.7	168.9	5
BH Genetics	BH 8540VT2P	3530	12.6	58.6	163.2	8
BH Genetics	BH 8555SS	3346	12.8	57.8	154.3	10
BH Genetics	BH 8566VT2P	3670	12.7	58.4	169.5	4
Dekalb	DKC67-44	3690	12.8	59.0	170.2	3
BH Genetics	BH 8670TRE	3786	12.9	60.0	174.4	1
BH Genetics	BH 8737VT2P	3574	12.6	60.7	165.2	6
BH Genetics	BH 8780VT2P	3464	14.0	59.9	157.6	9
BH Genetics	BH 8966VT2P	3600	13.6	61.0	164.5	7
<i>Plot Average</i>		<i>3607</i>	<i>12.9</i>	<i>59.3</i>	<i>166.1</i>	