



Corn Strip Trial 2023

Matt Pustejovsky
Abbott, Texas | Hill County

Irrigation: None
Planting Rate: 23,000
Row Width: 30"

Planting Date: 3-13-2023
Harvest Date: 8-8-2023
Previous Crop: Corn
Fungicide: None

Brand	Hybrid	Harvest Moisture (%)	Test Weight (Lbs)	Adj.Yield 15% Moisture (Bu/Acre)	Yield Rank
BH Genetics	BH 7750VT2P	8.1	57.3	144.4	4
BH Genetics	X21037PCE	8.5	55.0	128.1	11
BH Genetics	BH 8233TRE	8.4	57.6	151.4	1
BH Genetics	BH 8412VT2P	8.3	59.7	148.4	2
BH Genetics	BH 8737VT2P	8.3	59.5	142.8	5
BH Genetics	BH 8780VT2P	8.2	60.1	133.3	8
BH Genetics	BH 8690VIP3111	8.4	58.8	127.1	12
BH Genetics	X23036-5222A	8.6	54.7	125.8	13
BH Genetics	X21026VIP3220	8.6	57.2	125.7	14
BH Genetics	X23043PCE	8.7	57.9	135.4	7
BH Genetics	X23044PCE	8.5	57.6	131.0	10
BH Genetics	X23046PCE	8.4	58.6	131.3	9
Dekalb	DKC 67-44	8.2	59.5	144.7	3
Dyna-Gro	DG58VC65	8.6	59.3	137.3	6
<i>Plot Average</i>		<i>8.4</i>	<i>58.1</i>	<i>136.2</i>	