



Corn Strip Trial

2023

S&S Raesz

Taylor, Texas | Williamson County

Irrigation: None

Planting Rate: 21,000

Row Width: 38"

Planting Date: 3-2-2023

Harvest Date: 7-19-2023

Previous Crop: Corn

Fungicide: None

Brand	Hybrid	Plot Weight (Lbs)	Harvest Moisture (%)	Test Weight (Lbs)	Adj. Yield 15% Moisture (Bu/Acre)	Yield Rank
BH Genetics	BH 8644TRE	3100	10.4	56.9	78.4	8
BH Genetics	BH 8412VT2P	3560	9.9	59.2	90.6	1
BH Genetics	BH 7750VT2P	3420	10.0	55.5	86.9	3
Pioneer	P1622VYHR	2780	9.9	57.0	70.7	11
BH Genetics	BH 8820VT2P	3080	10.4	56.5	77.9	9
BH Genetics	BH 8670TRE	3360	10.1	57.1	85.3	4
BH Genetics	BH 8721VT2P	2860	10.5	57.8	72.3	10
BH Genetics	BH 8566VT2P	3130	9.7	56.7	79.8	7
BH Genetics	BH 8780VT2P	2760	9.9	57.6	70.2	12
BH Genetics	BH 8555SS	2750	10.3	55.8	69.7	13
BH Genetics	BH 8233VT2P	3310	10.3	55.1	83.8	5
BH Genetics	BH 8737VT2P	3440	9.9	58.6	87.5	2
BH Genetics	X22046SS	3230	10.3	56.0	81.8	6
<i>Plot Average</i>		<i>3137</i>	<i>10.1</i>	<i>56.9</i>	<i>79.6</i>	