



Corn Strip Trial 2024

Matt Pustejovsky

Abbott, Texas | Hill County

Irrigation: None

Planting Rate: 25,000

Row Width: 30"

Planting Date: 3-2-2024

Harvest Date: 8-13-2024

Previous Crop: Corn

Fungicide: None

Brand	Hybrid	Plot Weight (Lbs)	Harvest Moisture (%)	Test Weight (Lbs)	Adj. Yield 15% Moisture (Bu/Acre)	Yield Rank
BH Genetics	X24012TRE	1970	10.1	59.3	92.8	1
BH Genetics	BH 8233TRE	1850	10.4	58.0	86.0	4
BH Genetics	X24013VT2P	1780	10.6	59.0	81.7	8
BH Genetics	BH 8412VT2P	1810	9.8	60.6	83.0	7
BH Genetics	BH 8566VT2P	1920	9.9	59.7	87.1	3
BH Genetics	BH 8612SS	1620	9.7	60.1	72.9	11
BH Genetics	BH 8670TRE	2010	10.0	59.4	89.3	2
BH Genetics	BH 8737VT2P	1900	9.9	61.0	83.7	5
BH Genetics	BH 8820VT2P	1720	10.1	58.5	74.9	10
BH Genetics	BH 8939TRE	1850	10.3	58.1	79.6	9
Dyna Gro	DG 58VC65	1960	10.4	59.5	83.4	6
<i>Plot Average</i>		<i>1854</i>	<i>10.1</i>	<i>59.4</i>	<i>83.1</i>	